L Number	Hits	Search Text	DB	Time stamp
- Namber	9931	((captur\$3 or sav\$3 or track\$3 or trap\$5	USPAT;	2004/07/29 13:27
		or store or storing) with (message or	US-PGPUB;	
		frame or screen or banner or advertisement	IBM TDB	
		or ads)).ab. and (@ad<20010426)	_	
-	73		USPAT;	2003/05/15 12:50
		reshow\$3 or (re adj (wind\$3 or play\$3 or	US-PGPUB;	
1		display\$3 or show\$3))) and ((captur\$3 or	IBM_TDB	
		sav\$3 or track\$3 or trap\$5 or store or		
1		storing) with (message or frame or screen		
		or banner or advertisement or ads))).ab. and (@ad<20010426)		
_	143		USPAT;	2003/05/15 12:58
	1.5	and ((automatic\$5 or dynamic\$5) with	US-PGPUB;	2003,03,13 12.30
		(captur\$3 or sav\$3 or track\$3 or trap\$5 or	IBM TDB	
		store or storing) with (message or box or		
		frame or screen or banner or advertisement		
1		or ads)) and ((playback\$3 or rewind\$3 or		
		replay\$3 or redisplay\$3 or reshow\$3 or (re		
		adj (wind\$3 or play\$3 or display\$3 or		
		show\$3))) with (browser or html or xml or		
		page or web or message or frame or screen or banner or advertisement or ads)) and		
		(@ad<20010426)		
	36		USPAT;	2003/05/15 13:00
		(shoot\$3 or shot\$3))) and (screen or frame	US-PGPUB;	
		or web or browser or advertisement or	IBM_TDB	
		ads)).ab. and (@ad<20010426)	_	
] -	114	((((snapshoot\$3 or snapshot\$3 or (snap adj	USPAT;	2003/05/15 13:01
		(shoot\$3 or shot\$3))) and (screen or frame	US-PGPUB;	
		or web or browser or advertisement or	IBM_TDB	
		ads)) same (sav\$3 or store or storing))		
		and (@ad<20010426)) and (internet or web or html or display\$3).ab.		
_	573		USPAT;	2003/05/15 13:03
	]	and ((captur\$3 or sav\$3 or track\$3 or	US-PGPUB;	2003,03,13 13.03
		trap\$5 or store or storing) with (message	IBM TDB	
		or box or frame or screen or banner or	_	
		advertisement or ads)) and ((playback\$3 or		
		rewind\$3 or replay\$3 or redisplay\$3 or		
		reshow\$3 or (re adj (wind\$3 or play\$3 or		
		display\$3 or show\$3))) with (browser or html or xml or page or web or message or		
		frame or screen or banner or advertisement		
		or ads)) and (@ad<20010426) and		
		(707/\$.ccls. or 709/\$.ccls. or 715/\$.ccls.		
		or 705/\$.ccls. or 345/\$.ccls.)		
-	25	((((snapshoot\$3 or snapshot\$3 or (snap adj	USPAT;	2003/05/15 13:04
		(shoot\$3 or shot\$3))) and (screen or frame	US-PGPUB;	
		or web or browser or advertisement or	IBM_TDB	
		ads)) same (sav\$3 or store or storing))		
	ľ	and (@ad<20010426)) and (internet or web		
		or html or display\$3).ab. and ((playback\$3 or rewind\$3 or replay\$3 or redisplay\$3 or		
		reshow\$3 or (re adj (wind\$3 or play\$3 or		
		display\$3 or show\$3))) with (browser or		
		html or xml or page or web or message or		
		frame or screen or banner or advertisement		
		or ads))		
-	1	"20010039546"	USPAT;	2003/05/17 00:41
			US-PGPUB;	
_	1	//cantures or early on trackes on tracks	IBM_TDB USPAT;	2003/05/16 14:56
-	1	((captur\$3 or sav\$3 or track\$3 or trap\$5 or store or storing) with (message or	US-PGPUB;	2003/03/10 14:30
		frame or screen or banner or advertisement	IBM_TDB	
		or ads)).ab. and (@ad<20010426) and	-5100	
		(autosav\$3 or (auto adj sav\$3))		
-	27	((captur\$3 or sav\$3 or store or storing)	USPAT;	2003/05/16 17:06
	1	with (message or frame or screen or banner	US-PGPUB;	
		or advertisement or ads)) and	IBM_TDB	
1		(@ad<20010426) and (autosav\$3 or (auto adj		
	L	sav\$3))	l	l

			****	0004/00/00 00 00
-	82	(((captur\$3 or sav\$3 or store or storing)	USPAT;	2004/08/03 20:30
		with (message or frame or screen or banner	US-PGPUB;	
		or advertisement or ads) with (configura\$5	IBM_TDB	
		or predetermined or defined) with (rate or time or frequen\$3 or period\$3)) and		
		(@ad<20010426) and (345/\$.ccls. or		
		705/\$.ccls. or 707/\$.ccls. or 709/\$.ccls.		
		or 715/\$.ccls.)) and (((display\$3 or		
		present\$3) with (image or picture or		
		message) with (predetermined or defined		
		configura\$3) with (time or rate or		
		frequenc\$3)) and (@ad<20010426) and		
		(345/\$.ccls. or 705/\$.ccls. or 707/\$.ccls.		
		or 709/\$.ccls. or 715/\$.ccls.))		
-	96	(powerpoint with presentation) and	USPAT;	2003/05/16 19:04
		(@ad<20010426) and (345/\$.ccls. or	US-PGPUB;	
		705/\$.ccls. or 707/\$.ccls. or 709/\$.ccls.	IBM_TDB	
		or 715/\$.ccls.)		
-	83	((captur\$3 or sav\$3 or store or storing)	USPAT;	2003/05/16 17:51
		with (message or frame or screen or banner	US-PGPUB;	
		or advertisement or ads) with (user or	IBM_TDB	
		client) with (configura\$5 or predetermined		
		or defined) with (rate or time or		
		frequen\$3 or period\$3)) and (@ad<20010426) and (345/\$.ccls. or 705/\$.ccls. or		
		and (345/\$.ccis. or 705/\$.ccis. or   707/\$.ccis. or 709/\$.ccis. or 715/\$.ccis.)		
1_	21	((captur\$3 or sav\$3 or store or storing)	USPAT;	2003/05/16 18:33
-	21	with (message or frame or screen or banner	US-PGPUB;	2003/03/10 10.33
1		or advertisement or ads) with (configura\$5	IBM TDB	
		or predetermined or defined or setted)		
		with (time or period\$3) with interval) and		
		(@ad<20010426) and (345/\$.ccls. or		
	:	705/\$.ccls. or 707/\$.ccls. or 709/\$.ccls.		
		or 715/\$.ccls.)		
-	2	(powerpoint and presentation).ab. and	USPAT;	2003/05/16 18:20
		• • • • • • • • • • • • • • • • • •	,	2000,00,10 10.20
		(@ad<20010426)	US-PGPUB;	2000,00,10 10.20
-		(@ad<20010426)	US-PGPUB; IBM_TDB	
-	240	(@ad<20010426) ((display\$3 or present\$3) with (image or	US-PGPUB; IBM_TDB USPAT;	2003/05/16 19:04
-	240	(@ad<20010426)  ((display\$3 or present\$3) with (image or picture or message) with (predetermined or	US-PGPUB; IBM_TDB USPAT; US-PGPUB;	
_	240	(@d<20010426)  ((display\$3 or present\$3) with (image or picture or message) with (predetermined or defined configura\$3) with (rate or	US-PGPUB; IBM_TDB USPAT;	
-	240	(@ad<20010426)  ((display\$3 or present\$3) with (image or picture or message) with (predetermined or defined configura\$3) with (rate or frequenc\$3)) and (@ad<20010426) and	US-PGPUB; IBM_TDB USPAT; US-PGPUB;	
_	240	(@ad<20010426)  ((display\$3 or present\$3) with (image or picture or message) with (predetermined or defined configura\$3) with (rate or frequenc\$3)) and (@ad<20010426) and (345/\$.ccls. or 705/\$.ccls. or 707/\$.ccls.	US-PGPUB; IBM_TDB USPAT; US-PGPUB;	
-		(@ad<20010426)  ((display\$3 or present\$3) with (image or picture or message) with (predetermined or defined configura\$3) with (rate or frequenc\$3)) and (@ad<20010426) and (345/\$.ccls. or 705/\$.ccls. or 707/\$.ccls. or 709/\$.ccls. or 715/\$.ccls.)	US-PGPUB; IBM_TDB USPAT; US-PGPUB; IBM_TDB	2003/05/16 19:04
-	240	(@ad<20010426)  ((display\$3 or present\$3) with (image or picture or message) with (predetermined or defined configura\$3) with (rate or frequenc\$3)) and (@ad<20010426) and (345/\$.ccls. or 705/\$.ccls. or 707/\$.ccls. or 709/\$.ccls. or 715/\$.ccls.) ((captur\$3 or sav\$3 or store or storing)	US-PGPUB; IBM_TDB USPAT; US-PGPUB; IBM_TDB	
-		(@ad<20010426)  ((display\$3 or present\$3) with (image or picture or message) with (predetermined or defined configura\$3) with (rate or frequenc\$3)) and (@ad<20010426) and (345/\$.ccls. or 705/\$.ccls. or 707/\$.ccls. or 709/\$.ccls. or 715/\$.ccls.) ((captur\$3 or sav\$3 or store or storing) with (message or frame or screen or banner	US-PGPUB; IBM_TDB USPAT; US-PGPUB; IBM_TDB  USPAT; US-PGPUB;	2003/05/16 19:04
		(@ad<20010426)  ((display\$3 or present\$3) with (image or picture or message) with (predetermined or defined configura\$3) with (rate or frequenc\$3)) and (@ad<20010426) and (345/\$.ccls. or 705/\$.ccls. or 707/\$.ccls. or 709/\$.ccls. or 715/\$.ccls.) ((captur\$3 or sav\$3 or store or storing) with (message or frame or screen or banner or advertisement or ads) with (configura\$5	US-PGPUB; IBM_TDB USPAT; US-PGPUB; IBM_TDB	2003/05/16 19:04
		(@ad<20010426)  ((display\$3 or present\$3) with (image or picture or message) with (predetermined or defined configura\$3) with (rate or frequenc\$3)) and (@ad<20010426) and (345/\$.ccls. or 705/\$.ccls. or 707/\$.ccls. or 709/\$.ccls. or 715/\$.ccls.) ((captur\$3 or sav\$3 or store or storing) with (message or frame or screen or banner or advertisement or ads) with (configura\$5 or predetermined or defined or setted)	US-PGPUB; IBM_TDB USPAT; US-PGPUB; IBM_TDB  USPAT; US-PGPUB;	2003/05/16 19:04
		(@ad<20010426)  ((display\$3 or present\$3) with (image or picture or message) with (predetermined or defined configura\$3) with (rate or frequenc\$3)) and (@ad<20010426) and (345/\$.ccls. or 705/\$.ccls. or 707/\$.ccls. or 709/\$.ccls. or 715/\$.ccls.) ((captur\$3 or sav\$3 or store or storing) with (message or frame or screen or banner or advertisement or ads) with (configura\$5	US-PGPUB; IBM_TDB USPAT; US-PGPUB; IBM_TDB  USPAT; US-PGPUB;	2003/05/16 19:04
		(@ad<20010426)  ((display\$3 or present\$3) with (image or picture or message) with (predetermined or defined configura\$3) with (rate or frequenc\$3)) and (@ad<20010426) and (345/\$.ccls. or 705/\$.ccls. or 707/\$.ccls. or 709/\$.ccls. or 715/\$.ccls.)  ((captur\$3 or sav\$3 or store or storing) with (message or frame or screen or banner or advertisement or ads) with (configura\$5 or predetermined or defined or setted) with (time or period\$3) with interval) and	US-PGPUB; IBM_TDB USPAT; US-PGPUB; IBM_TDB  USPAT; US-PGPUB;	2003/05/16 19:04
		(@ad<20010426)  ((display\$3 or present\$3) with (image or picture or message) with (predetermined or defined configura\$3) with (rate or frequenc\$3)) and (@ad<20010426) and (345/\$.ccls. or 705/\$.ccls. or 707/\$.ccls. or 709/\$.ccls. or 715/\$.ccls.) ((captur\$3 or sav\$3 or store or storing) with (message or frame or screen or banner or advertisement or ads) with (configura\$5 or predetermined or defined or setted) with (time or period\$3) with interval) and (@ad<20010426) and (345/\$.ccls. or 705/\$.ccls. or 707/\$.ccls. or 709/\$.ccls. or 715/\$.ccls.) and (network or	US-PGPUB; IBM_TDB USPAT; US-PGPUB; IBM_TDB  USPAT; US-PGPUB;	2003/05/16 19:04
	6	(@ad<20010426)  ((display\$3 or present\$3) with (image or picture or message) with (predetermined or defined configura\$3) with (rate or frequenc\$3)) and (@ad<20010426) and (345/\$.ccls. or 705/\$.ccls. or 707/\$.ccls. or 709/\$.ccls. or 715/\$.ccls.) ((captur\$3 or sav\$3 or store or storing) with (message or frame or screen or banner or advertisement or ads) with (configura\$5 or predetermined or defined or setted) with (time or period\$3) with interval) and (@ad<20010426) and (345/\$.ccls. or 705/\$.ccls. or 707/\$.ccls. or 709/\$.ccls. or 715/\$.ccls.) and (network or online).ab.	US-PGPUB; IBM_TDB USPAT; US-PGPUB; IBM_TDB  USPAT; US-PGPUB; IBM_TDB	2003/05/16 19:04 2003/05/16 18:36
		(@ad<20010426)  ((display\$3 or present\$3) with (image or picture or message) with (predetermined or defined configura\$3) with (rate or frequenc\$3)) and (@ad<20010426) and (345/\$.ccls. or 705/\$.ccls. or 707/\$.ccls. or 709/\$.ccls. or 715/\$.ccls.) ((captur\$3 or sav\$3 or store or storing) with (message or frame or screen or banner or advertisement or ads) with (configura\$5 or predetermined or defined or setted) with (time or period\$3) with interval) and (@ad<20010426) and (345/\$.ccls. or 705/\$.ccls. or 707/\$.ccls. or 709/\$.ccls. or 715/\$.ccls.) and (network or online).ab. ((captur\$3 or sav\$3 or store or storing)	US-PGPUB; IBM_TDB USPAT; US-PGPUB; IBM_TDB  USPAT; US-PGPUB; IBM_TDB	2003/05/16 19:04
	6	(@ad<20010426)  ((display\$3 or present\$3) with (image or picture or message) with (predetermined or defined configura\$3) with (rate or frequenc\$3)) and (@ad<20010426) and (345/\$.ccls. or 705/\$.ccls. or 707/\$.ccls. or 709/\$.ccls. or 715/\$.ccls.)  ((captur\$3 or sav\$3 or store or storing) with (message or frame or screen or banner or advertisement or ads) with (configura\$5 or predetermined or defined or setted) with (time or period\$3) with interval) and (@ad<20010426) and (345/\$.ccls. or 705/\$.ccls. or 705/\$.ccls. or 707/\$.ccls. or 709/\$.ccls. or 715/\$.ccls.) and (network or online).ab.  ((captur\$3 or sav\$3 or store or storing) with (message or frame or screen or banner	US-PGPUB; IBM_TDB USPAT; US-PGPUB; IBM_TDB  USPAT; US-PGPUB; IBM_TDB	2003/05/16 19:04 2003/05/16 18:36
	6	(@ad<20010426)  ((display\$3 or present\$3) with (image or picture or message) with (predetermined or defined configura\$3) with (rate or frequenc\$3)) and (@ad<20010426) and (345/\$.ccls. or 705/\$.ccls. or 707/\$.ccls. or 709/\$.ccls. or 715/\$.ccls.)  ((captur\$3 or sav\$3 or store or storing) with (message or frame or screen or banner or advertisement or ads) with (configura\$5 or predetermined or defined or setted) with (time or period\$3) with interval) and (@ad<20010426) and (345/\$.ccls. or 705/\$.ccls. or 707/\$.ccls. or 709/\$.ccls. or 715/\$.ccls.) and (network or online).ab.  ((captur\$3 or sav\$3 or store or storing) with (message or frame or screen or banner or advertisement or ads) with (period or	US-PGPUB; IBM_TDB USPAT; US-PGPUB; IBM_TDB  USPAT; US-PGPUB; IBM_TDB	2003/05/16 19:04 2003/05/16 18:36
	6	(@ad<20010426)  ((display\$3 or present\$3) with (image or picture or message) with (predetermined or defined configura\$3) with (rate or frequenc\$3)) and (@ad<20010426) and (345/\$.ccls. or 705/\$.ccls. or 707/\$.ccls. or 709/\$.ccls. or 715/\$.ccls.)  ((captur\$3 or sav\$3 or store or storing) with (message or frame or screen or banner or advertisement or ads) with (configura\$5 or predetermined or defined or setted) with (time or period\$3) with interval) and (@ad<20010426) and (345/\$.ccls. or 705/\$.ccls. or 707/\$.ccls. or 709/\$.ccls. or 715/\$.ccls.) and (network or online).ab.  ((captur\$3 or sav\$3 or store or storing) with (message or frame or screen or banner or advertisement or ads) with (period or ((time or period\$3) with interval))) and	US-PGPUB; IBM_TDB USPAT; US-PGPUB; IBM_TDB  USPAT; US-PGPUB; IBM_TDB	2003/05/16 19:04 2003/05/16 18:36
	6	(@ad<20010426)  ((display\$3 or present\$3) with (image or picture or message) with (predetermined or defined configura\$3) with (rate or frequenc\$3)) and (@ad<20010426) and (345/\$.ccls. or 705/\$.ccls. or 707/\$.ccls. or 709/\$.ccls. or 715/\$.ccls.)  ((captur\$3 or sav\$3 or store or storing) with (message or frame or screen or banner or advertisement or ads) with (configura\$5 or predetermined or defined or setted) with (time or period\$3) with interval) and (@ad<20010426) and (345/\$.ccls. or 705/\$.ccls. or 707/\$.ccls. or 709/\$.ccls. or 715/\$.ccls.) and (network or online).ab.  ((captur\$3 or sav\$3 or store or storing) with (message or frame or screen or banner or advertisement or ads) with (period or ((time or period\$3) with interval))) and (@ad<20010426) and (345/\$.ccls. or	US-PGPUB; IBM_TDB USPAT; US-PGPUB; IBM_TDB  USPAT; US-PGPUB; IBM_TDB	2003/05/16 19:04 2003/05/16 18:36
	6	(@ad<20010426)  ((display\$3 or present\$3) with (image or picture or message) with (predetermined or defined configura\$3) with (rate or frequenc\$3)) and (@ad<20010426) and (345/\$.ccls. or 705/\$.ccls. or 707/\$.ccls. or 709/\$.ccls. or 715/\$.ccls.)  ((captur\$3 or sav\$3 or store or storing) with (message or frame or screen or banner or advertisement or ads) with (configura\$5 or predetermined or defined or setted) with (time or period\$3) with interval) and (@ad<20010426) and (345/\$.ccls. or 705/\$.ccls. or 707/\$.ccls. or 709/\$.ccls. or 715/\$.ccls.) and (network or online).ab.  ((captur\$3 or sav\$3 or store or storing) with (message or frame or screen or banner or advertisement or ads) with (period or ((time or period\$3) with interval))) and (@ad<20010426) and (345/\$.ccls. or 709/\$.ccls.	US-PGPUB; IBM_TDB USPAT; US-PGPUB; IBM_TDB  USPAT; US-PGPUB; IBM_TDB	2003/05/16 19:04 2003/05/16 18:36
	6	(@ad<20010426)  ((display\$3 or present\$3) with (image or picture or message) with (predetermined or defined configura\$3) with (rate or frequenc\$3)) and (@ad<20010426) and (345/\$.ccls. or 705/\$.ccls. or 707/\$.ccls. or 709/\$.ccls. or 715/\$.ccls.)  ((captur\$3 or sav\$3 or store or storing) with (message or frame or screen or banner or advertisement or ads) with (configura\$5 or predetermined or defined or setted) with (time or period\$3) with interval) and (@ad<20010426) and (345/\$.ccls. or 705/\$.ccls. or 707/\$.ccls. or 709/\$.ccls. or 715/\$.ccls.) and (network or online).ab.  ((captur\$3 or sav\$3 or store or storing) with (message or frame or screen or banner or advertisement or ads) with (period or (time or period\$3) with interval))) and (@ad<20010426) and (345/\$.ccls. or 705/\$.ccls. or 707/\$.ccls. or 709/\$.ccls. or 715/\$.ccls.) and (network or	US-PGPUB; IBM_TDB USPAT; US-PGPUB; IBM_TDB  USPAT; US-PGPUB; IBM_TDB	2003/05/16 19:04 2003/05/16 18:36
	111	(@ad<20010426)  ((display\$3 or present\$3) with (image or picture or message) with (predetermined or defined configura\$3) with (rate or frequenc\$3)) and (@ad<20010426) and (345/\$.ccls. or 705/\$.ccls. or 707/\$.ccls. or 709/\$.ccls. or 715/\$.ccls.)  ((captur\$3 or sav\$3 or store or storing) with (message or frame or screen or banner or advertisement or ads) with (configura\$5 or predetermined or defined or setted) with (time or period\$3) with interval) and (@ad<20010426) and (345/\$.ccls. or 705/\$.ccls. or 707/\$.ccls. or 709/\$.ccls. or 715/\$.ccls.) and (network or online).ab.  ((captur\$3 or sav\$3 or store or storing) with (message or frame or screen or banner or advertisement or ads) with (period or ((time or period\$3) with interval))) and (@ad<20010426) and (345/\$.ccls. or 705/\$.ccls. or 705/\$.ccls. or 707/\$.ccls. or 709/\$.ccls. or 705/\$.ccls. or 707/\$.ccls. or 709/\$.ccls. or 705/\$.ccls. or 707/\$.ccls. or 709/\$.ccls. or 705/\$.ccls. or 705/\$.ccls. or 705/\$.ccls. or 705/\$.ccls. or 705/\$.ccls. or 709/\$.ccls. or 715/\$.ccls.) and (network or online).ab.	US-PGPUB; IBM_TDB USPAT; US-PGPUB; IBM_TDB  USPAT; US-PGPUB; IBM_TDB  USPAT; US-PGPUB; IBM_TDB	2003/05/16 19:04 2003/05/16 18:36
	6	(@ad<20010426)  ((display\$3 or present\$3) with (image or picture or message) with (predetermined or defined configura\$3) with (rate or frequenc\$3)) and (@ad<20010426) and (345/\$.ccls. or 705/\$.ccls. or 707/\$.ccls. or 709/\$.ccls. or 715/\$.ccls.)  ((captur\$3 or sav\$3 or store or storing) with (message or frame or screen or banner or advertisement or ads) with (configura\$5 or predetermined or defined or setted) with (time or period\$3) with interval) and (@ad<20010426) and (345/\$.ccls. or 705/\$.ccls. or 707/\$.ccls. or 709/\$.ccls. or 715/\$.ccls.) and (network or online).ab.  ((captur\$3 or sav\$3 or store or storing) with (message or frame or screen or banner or advertisement or ads) with (period or ((time or period\$3) with interval))) and (@ad<20010426) and (345/\$.ccls. or 705/\$.ccls. or 705/\$.ccls. or 707/\$.ccls. or 709/\$.ccls. or 705/\$.ccls.) and (network or online).ab.  ((captur\$3 or sav\$3 or store or storing)	US-PGPUB; IBM_TDB USPAT; US-PGPUB; IBM_TDB  USPAT; US-PGPUB; IBM_TDB	2003/05/16 19:04 2003/05/16 18:36 2003/05/16 18:53
	111	(@ad<20010426)  ((display\$3 or present\$3) with (image or picture or message) with (predetermined or defined configura\$3) with (rate or frequenc\$3)) and (@ad<20010426) and (345/\$.ccls. or 705/\$.ccls. or 707/\$.ccls. or 709/\$.ccls. or 715/\$.ccls.)  ((captur\$3 or sav\$3 or store or storing) with (message or frame or screen or banner or advertisement or ads) with (configura\$5 or predetermined or defined or setted) with (time or period\$3) with interval) and (@ad<20010426) and (345/\$.ccls. or 705/\$.ccls. or 707/\$.ccls. or 709/\$.ccls. or 715/\$.ccls.) and (network or online).ab.  ((captur\$3 or sav\$3 or store or storing) with (message or frame or screen or banner or advertisement or ads) with (period or ((time or period\$3) with interval))) and (@ad<20010426) and (345/\$.ccls. or 705/\$.ccls. or 707/\$.ccls. or 709/\$.ccls. or 709/\$.ccls. or 709/\$.ccls. or 709/\$.ccls. or 709/\$.ccls. or 7015/\$.ccls.) and (network or online).ab.  ((captur\$3 or sav\$3 or store or storing) with (message or frame or screen or banner	US-PGPUB; IBM_TDB USPAT; US-PGPUB; IBM_TDB  USPAT; US-PGPUB; IBM_TDB  USPAT; US-PGPUB; IBM_TDB	2003/05/16 19:04 2003/05/16 18:36 2003/05/16 18:53
	111	(@ad<20010426)  ((display\$3 or present\$3) with (image or picture or message) with (predetermined or defined configura\$3) with (rate or frequenc\$3)) and (@ad<20010426) and (345/\$.ccls. or 705/\$.ccls. or 707/\$.ccls. or 709/\$.ccls. or 715/\$.ccls.)  ((captur\$3 or sav\$3 or store or storing) with (message or frame or screen or banner or advertisement or ads) with (configura\$5 or predetermined or defined or setted) with (time or period\$3) with interval) and (@ad<20010426) and (345/\$.ccls. or 705/\$.ccls. or 707/\$.ccls. or 709/\$.ccls. or 715/\$.ccls.) and (network or online).ab.  ((captur\$3 or sav\$3 or store or storing) with (message or frame or screen or banner or advertisement or ads) with (period or ((time or period\$3) with interval))) and (@ad<20010426) and (345/\$.ccls. or 705/\$.ccls. or 705/\$.ccls. or 707/\$.ccls. or 709/\$.ccls. or 705/\$.ccls.) and (network or online).ab.  ((captur\$3 or sav\$3 or store or storing)	US-PGPUB; IBM_TDB USPAT; US-PGPUB; IBM_TDB  USPAT; US-PGPUB; IBM_TDB  USPAT; US-PGPUB; IBM_TDB  USPAT; US-PGPUB; USPAT; US-PGPUB; IBM_TDB	2003/05/16 19:04 2003/05/16 18:36 2003/05/16 18:53
	111	(@ad<20010426)  ((display\$3 or present\$3) with (image or picture or message) with (predetermined or defined configura\$3) with (rate or frequenc\$3)) and (@ad<20010426) and (345/\$.ccls. or 705/\$.ccls. or 707/\$.ccls. or 709/\$.ccls. or 715/\$.ccls.)  ((captur\$3 or sav\$3 or store or storing) with (message or frame or screen or banner or advertisement or ads) with (configura\$5 or predetermined or defined or setted) with (time or period\$3) with interval) and (@ad<20010426) and (345/\$.ccls. or 705/\$.ccls. or 707/\$.ccls. or 709/\$.ccls. or 715/\$.ccls.) and (network or online).ab.  ((captur\$3 or sav\$3 or store or storing) with (message or frame or screen or banner or advertisement or ads) with (period or ((time or period\$3) with interval))) and (@ad<20010426) and (345/\$.ccls. or 709/\$.ccls. or 705/\$.ccls. or 707/\$.ccls. or 709/\$.ccls. or 715/\$.ccls.) and (network or online).ab.  ((captur\$3 or sav\$3 or store or storing) with (message or frame or screen or banner or advertisement or ads) with ((time or period\$3) with interval)) and (@ad<20010426) and (345/\$.ccls. or 709/\$.ccls. or 709/\$.ccls.) or 715/\$.ccls.) and (network or online).ab.  ((captur\$3 or sav\$3 or store or storing) with (message or frame or screen or banner or advertisement or ads) with ((time or period\$3) with interval)) and (@ad<20010426) and (345/\$.ccls. or	US-PGPUB; IBM_TDB USPAT; US-PGPUB; IBM_TDB  USPAT; US-PGPUB; IBM_TDB  USPAT; US-PGPUB; IBM_TDB  USPAT; US-PGPUB; USPAT; US-PGPUB; IBM_TDB	2003/05/16 19:04 2003/05/16 18:36 2003/05/16 18:53
	111	(@ad<20010426)  ((display\$3 or present\$3) with (image or picture or message) with (predetermined or defined configura\$3) with (rate or frequenc\$3)) and (@ad<20010426) and (345/\$.ccls. or 705/\$.ccls. or 707/\$.ccls. or 709/\$.ccls. or 715/\$.ccls.)  ((captur\$3 or sav\$3 or store or storing) with (message or frame or screen or banner or advertisement or ads) with (configura\$5 or predetermined or defined or setted) with (time or period\$3) with interval) and (@ad<20010426) and (345/\$.ccls. or 705/\$.ccls. or 707/\$.ccls. or 709/\$.ccls. or 715/\$.ccls.) and (network or online).ab.  ((captur\$3 or sav\$3 or store or storing) with (message or frame or screen or banner or advertisement or ads) with (period or (time or period\$3) with interval)) and (@ad<20010426) and (345/\$.ccls. or 705/\$.ccls. or 707/\$.ccls. or 709/\$.ccls. or 715/\$.ccls.) and (network or online).ab.  ((captur\$3 or sav\$3 or store or storing) with (message or frame or screen or banner or advertisement or ads) with (time or online).ab.  ((captur\$3 or sav\$3 or store or storing) with (message or frame or screen or banner or advertisement or ads) with ((time or period\$3) with interval)) and (@ad<20010426) and (345/\$.ccls. or 709/\$.ccls. or 705/\$.ccls. or 707/\$.ccls. or 709/\$.ccls.	US-PGPUB; IBM_TDB USPAT; US-PGPUB; IBM_TDB  USPAT; US-PGPUB; IBM_TDB  USPAT; US-PGPUB; IBM_TDB  USPAT; US-PGPUB; USPAT; US-PGPUB; IBM_TDB	2003/05/16 19:04 2003/05/16 18:36 2003/05/16 18:53
	111	(@ad<20010426)  ((display\$3 or present\$3) with (image or picture or message) with (predetermined or defined configura\$3) with (rate or frequenc\$3)) and (@ad<20010426) and (345/\$.ccls. or 705/\$.ccls. or 707/\$.ccls. or 709/\$.ccls. or 715/\$.ccls.)  ((captur\$3 or sav\$3 or store or storing) with (message or frame or screen or banner or advertisement or ads) with (configura\$5 or predetermined or defined or setted) with (time or period\$3) with interval) and (@ad<20010426) and (345/\$.ccls. or 705/\$.ccls. or 707/\$.ccls. or 709/\$.ccls. or 715/\$.ccls.) and (network or online).ab.  ((captur\$3 or sav\$3 or store or storing) with (message or frame or screen or banner or advertisement or ads) with (period or ((time or period\$3) with interval))) and (@ad<20010426) and (345/\$.ccls. or 709/\$.ccls. or 705/\$.ccls. or 707/\$.ccls. or 709/\$.ccls. or 715/\$.ccls.) and (network or online).ab.  ((captur\$3 or sav\$3 or store or storing) with (message or frame or screen or banner or advertisement or ads) with ((time or period\$3) with interval)) and (@ad<20010426) and (345/\$.ccls. or 709/\$.ccls. or 709/\$.ccls.) or 715/\$.ccls.) and (network or online).ab.  ((captur\$3 or sav\$3 or store or storing) with (message or frame or screen or banner or advertisement or ads) with ((time or period\$3) with interval)) and (@ad<20010426) and (345/\$.ccls. or	US-PGPUB; IBM_TDB USPAT; US-PGPUB; IBM_TDB  USPAT; US-PGPUB; IBM_TDB  USPAT; US-PGPUB; IBM_TDB  USPAT; US-PGPUB; USPAT; US-PGPUB; IBM_TDB	2003/05/16 19:04 2003/05/16 18:36 2003/05/16 18:53

	3	((captur\$3 or sav\$3 or store or storing or record\$3) with (file or message or frame or screen or banner or advertisement or ads) with ((time or period\$3) with interval) with rate) and (@ad<20010426) and (345/\$.ccls. or 705/\$.ccls. or	USPAT; US-PGPUB; IBM_TDB	2003/05/16 20:04
-	58	707/\$.ccls. or 709/\$.ccls. or 715/\$.ccls.) and (network or online).ab. ((captur\$3 or sav\$3 or store or storing or record\$3) with (file or message or frame or screen or banner or advertisement or ads) with ((time or period\$3) with interval)) and (@ad<20010426) and (345/\$.ccls. or 705/\$.ccls. or 707/\$.ccls.	USPAT; US-PGPUB; IBM_TDB	2003/05/16 20:44
_	1159	or 709/\$.ccls. or 715/\$.ccls.) and (network or online).ab.	USPAT; US-PGPUB;	2003/05/16 20:43
_	2	((DOM or (document adj object adj model)) with determin\$3 with (change or modification)) and (@ad<20010426)	IBM_TDB USPAT; US-PGPUB; IBM TDB	2003/05/16 21:34
-	. 11	((captur\$3 or sav\$3 or store or storing or record\$3) with (different or modified or changed) with (file or message or frame or screen or banner or advertisement or ads)) and (@ad<20010426) and (345/\$.ccls. or 705/\$.ccls. or 707/\$.ccls. or 709/\$.ccls. or 715/\$.ccls.) and (DOM or (document adj	USPAT; US-PGPUB; IBM_TDB	2003/05/16 21:11
-	254	object adj model)) ((captur\$3 or sav\$3 or store or storing or record\$3) with ((different or modified or changed) near2 (file or message or frame or screen or banner or advertisement or ads))) and (@ad<20010426) and 707/\$.ccls. and (captur\$3 or sav\$3 or store or storing or record\$3).ab.	USPAT; US-PGPUB; IBM_TDB	2003/05/16 22:07
-	1	1	USPAT; US-PGPUB; IBM_TDB	2003/05/16 21:25
_	27		USPAT; US-PGPUB; IBM_TDB	2003/05/16 21:42
	96		USPAT; US-PGPUB; IBM_TDB	2003/05/16 22:12

				0001100100
-	58		USPAT;	2004/08/02 19:06
		modif\$3 or new) with (image or multimedia or banner or advertisement or ads)) and	US-PGPUB; EPO; JPO;	
		(((captur\$3 or record\$3 or storing or	DERWENT;	
		store\$2 or saving or save\$2) with (screen	IBM TDB	
		or display or tv or monitor or web) with	15.1_155	
		(image or multimedia or banner or		
		advertisement or ads)) same (chronolog\$9		
		or sequen\$9 or serial or consecut\$9)) and		
		((display\$3 or redisplay\$3 or play\$3 or		
		replay\$3 or review\$3 or playback\$3) with		
		(captured or stored or saved or recorded)		}
		with (screen or banner or advertisement or		
		ads or image or multimedia)) and		
		(@ad<20010426) and (707/\$.ccls. or		
		345/\$.ccls. or 705/\$.ccls. or 709/\$.ccls.		
		or 715/\$.ccls.) not camera		
-	15	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	USPAT;	2004/08/02 19:41
	2	modified or changed) with (image or	US-PGPUB;	
		multimedia or banner or advertisement or	EPO; JPO;	
		ads)) same (chronolog\$9 or sequen\$9 or	DERWENT;	
		serial or consecut\$9)) and ((display\$3 or	IBM_TDB	
		redisplay\$3 or play\$3 or replay\$3 or		
		review\$3 or playback\$3) with (captured or		
		stored or saved or recorded) with (screen		
		or banner or advertisement or ads or image or multimedia)) and (@ad<20010426) and		
		(707/\$.ccls. or 345/\$.ccls. or 705/\$.ccls.		
		or 709/\$.ccls. or 715/\$.ccls.) not camera		
_	138	((screen adj (shot or saver)) and	USPAT;	2004/08/02 19:45
	130	(@ad<20010426)) and ((captur\$3 or record\$3	US-PGPUB;	2001, 00, 02 23, 10
		or storing or store\$2 or saving or save\$2)	EPO; JPO;	
		with (screen or image or multimedia or	DERWENT;	
ł		banner or advertisement or ads) with	IBM TDB	
		(chronolog\$9 or sequen\$9 or serial or	_	
		consecut\$9))		
-	270	((((captur\$3 or record\$3 or storing or	USPAT;	2004/08/03 14:25
	1	store\$2 or saving or save\$2) with (screen	US-PGPUB;	
		or display or tv or monitor) with (image	EPO; JPO;	
		or multimedia or banner or advertisement	DERWENT;	
		or ads)) same (chronolog\$9 or sequen\$9)	IBM_TDB	
ŀ		same (capture\$3 or record\$3)) and		
		((display\$3 or redisplay\$3 or play\$3 or		
		replay\$3 or review\$3 or playback\$3) with		
		(captured or stored or saved or recorded) with (screen or banner or advertisement or		
-	}	ads or image or multimedia)) and		
		(@ad<20010426)) and (707/\$.ccls. or		
	1	345/\$.ccls. or 705/\$.ccls. or 709/\$.ccls.		
		or 715/\$.ccls.)		
_	44	, , , , , ,	USPAT;	2004/08/03 19:46
		store\$2 or saving or save\$2) with (screen	US-PGPUB;	
	1	or image or multimedia or banner or	EPO; JPO;	
		advertisement or ads)) and ((generat\$3 or	DERWENT;	
		creat\$3) with slide with show) and	IBM TDB	
		(@ad<20010426) and (707/\$.ccls. or	-	
	1	345/\$.ccls. or 705/\$.ccls. or 709/\$.ccls.		
	Ī	or 715/\$.ccls.)		
-	2	(((generat\$3 or creat\$3) with slide with	USPAT;	2004/08/03 19:48
		show) same (list with (screen or image or	US-PGPUB;	
		multimedia or banner or advertisement or	EPO; JPO;	
	1	ads))) and (@ad<20010426)	DERWENT;	
		//	IBM_TDB	2004/00/02 00:10
-	244	((captur\$3 or record\$3 or storing or	USPAT;	2004/08/03 20:18
ĺ		store\$2 or saving or save\$2) with (banner	US-PGPUB;	
1		or advertisement or ads) with (chronolog\$9	EPO; JPO;	
1		or sequen\$9 or (time adj stamp))) and	DERWENT; IBM TDB	
L	L	(@ad<20010426)	T DIJ I DD	1